

FDA encourages individuals or firms with relevant data or information to present such information at the meeting or in written comments to the record.

You may request a transcript of the public meeting from the Freedom of Information Office (HFI-35), Food and Drug Administration, 5600 Fishers Lane, rm. 12A-16, Rockville, MD 20857, approximately 15 working days after the meeting. The transcript of the public meeting and submitted comments will be available for public examination at the Dockets Management Branch (address above) between 9 a.m. and 4 p.m., Monday through Friday.

Dated: June 11, 1999.

**Margaret M. Dotzel,**

*Acting Associate Commissioner for Policy Coordination.*

[FR Doc. 99-15475 Filed 6-17-99; 8:45 am]

BILLING CODE 4160-01-F

## ENVIRONMENTAL PROTECTION AGENCY

### 40 CFR Part 52

[IL183-1b; FRL-6360-2]

#### Approval and Promulgation of State Implementation Plan; Illinois

**AGENCY:** United States Environmental Protection Agency (USEPA).

**ACTION:** Proposed rule.

**SUMMARY:** USEPA is proposing to approve a site specific revision to the Illinois State Implementation Plan (SIP) for volatile organic materials (VOM). This revision is an exemption from the otherwise applicable SIP requirements for W.R. Grace, a manufacturer of container sealants, lubricant fluids, and concrete additives at 6050 West 51st Street, Chicago, Cook County, Illinois. In the final rules section of this **Federal Register**, the USEPA is approving the State's request as a direct final rule without prior proposal because USEPA views this action as noncontroversial and anticipates no adverse comments. A detailed rationale for approving the State's request is set forth in the direct final rule. The direct final rule will become effective without further notice unless the Agency receives relevant adverse written comment on this action. Should the Agency receive such comment, it will publish a final rule informing the public that the direct final rule will not take effect and such public comment received will be addressed in a subsequent final rule based on this proposed rule. If no adverse written comments are received, the direct final rule will take effect on the date stated

in that document and no further activity will be taken on this proposed rule.

USEPA does not plan to institute a second comment period on this action.

Any parties interested in commenting on this action should do so at this time.

**DATES:** Written comments must be received on or before July 19, 1999.

**ADDRESSES:** Written comments should be mailed to: J. Elmer Bortzer, Chief, Regulation Development Section, Air Programs Branch (AR-18J), Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604.

Copies of the State submittal are available for inspection at: Regulation Development Section, Air Programs Branch (AR-18J), Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604.

**FOR FURTHER INFORMATION CONTACT:** Fayette Bright, Environmental Protection Specialist, Regulation Development Section, Air Programs Branch (AR-18J), Environmental Protection Agency, Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604, (312) 886-6069.

**SUPPLEMENTARY INFORMATION:** For additional information see the direct final rule published in the final rules section of this **Federal Register**.

Dated: June 7, 1999.

**Francis X. Lyons,**

*Regional Administrator, Region 5.*

[FR Doc. 99-15532 Filed 6-17-99; 8:45 am]

BILLING CODE 6560-50-P

## FEDERAL EMERGENCY MANAGEMENT AGENCY

### 44 CFR Part 67

[Docket No. FEMA-7287]

#### Proposed Flood Elevation Determinations

**AGENCY:** Federal Emergency Management Agency, FEMA.

**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

**FOR FURTHER INFORMATION CONTACT:** Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) matt.miller@fema.gov.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

#### National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

#### Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood